

INDEX MAPS.

T. 36N, R. 2W. 2nd Mer.

Meanders 290

					265		266		266			
	6		5		4	280	3	275	2	271	1	265
			289		284-280		280		275		270	
	7	289	8	283	9	279	10	275	11	270	12	264
	289		288		283		279		274		269	
	18	288	17	282	16	279	15	274	14	269	13	264
	288		287		282		278		273		269	
266	19	287	20	282	21	278	22	273	23	268	24	263
	286		286		281		277		272		268	
266	30	286	29	281	28	277	27	272	26	267	25	263
	285		284		281		276		271		267	
266	31	284	32	280	33	276	34	271	35	267	36	263
	262		262		261		261		261		261	

T. 37N, R. 2W. 2nd Mer.

Meanders 324

				302		302		301		301		300		300
6	319	5	315	4	311	3	308	2	305	1	298			
	319		319		315		312		308		305			
7	320	8	316	9	312	10	308	11	306	12	298			
	320		320		316		312		309		306			
18	321	17	316	16	313	15	309	14	306	13	299			
	322		321		317		313		309		306			
19	322	20	317	21	314	22	310	23	306	24	299			
	323		322		318		314		310		307			
30	323	29	318	28	314	27	310	26	307	25	299			
	323		323		318		314		311		307			
31		32		33		34		35		36				
					330		329		328		297			
						296		296		297				

The figures on the lines refer to the page.

T. 37 N. Range 2 W. 2nd Mer. Ind^a,

Co. L. Townships 37 North Range 2 West 2nd Mer.
Indiana.

South Boundary. (N. 57° 40' E.)

West On Random on S. side of sec 36 & 37,
& at end of 3.04.02 returned Mark. road lands
measured South 16 chs. to Town line in said
lands between T's. 36 & 37 N. suspected some
mistake & measured North 50.95 chs. to old
line South boundary of the 10 mile strip,
Being satisfied of an error in the road
lands & that it should not affect the N. S.
surveys. I went back on my random as
follows: (Ran a mound at intersection.)

East
20.50 Correct on S. side of sec. 34
Leave field mostly cultivated
44.02 Set the gr. sec. cor. post from which
a Br. Oak 8 in. dia. bears N 54° E 396 chs. 2 1/2
& a Do. 9 " " " N 47° E 396 " "
& a Do. 15 " " " N 45° E 278 " "
50.00 Leave Door prairie
52.82 To a Br. Oak 14 in. dia. in the line,
69.00 To a mark
84.02 Set a post cor. to Sec. 34 & 35 from which
a Br. Oak 10 in. dia. bears S 2° W 407 chs.
& Ran a mound in marsh
Up land rolling 1st rate E. of prairie
Br. Oak. mark not very wet,

East
2.50 On the S. side of sec. 35
To little Kankakee river 150 chs. wide on S. E.,
a small sawmill on this stream nearly finished
a bark 4 chs. S. E. - called Ken's mill,
22.85 To a W. Oak 14 in. dia. in the line

T. 37 N. R. 2 W. 2nd Mer. Ind.

0.00	Leave marsh & Enter low heavy timber,
27.25	To a Pin Oak 14 in dia, in the line,
40.00	Set the gr. sec. cor. post from which a Hickory 16 in dia bears N 36 7/8 W 56 1/2 in. dia & & a W. Oak 10 " " " N 73 E 35 " "
47.26	To a Spruce 6 " " in the line
52.81	" " W. Oak 8 " " " " "
58.50	Leave timbering land & Enter marsh
80.00	Set a post cor. to sec. 35 & 36 from wh, a W. Oak 18 in dia, bears N 57 1/2 E 52 1/2 in, & Raised a mound. Land low & swampy & the timber is mostly destroyed by trespassing

East	On the S. side of sec. 36
6.50	To a spring 3 in. wide cor. South
11.00	" " Do. 10 " " " S. W. chalcate
18.50	Leave the marsh
34.00	To a P. Oak 12 in dia, in the line,
40.00	Set the gr. sec. cor. post from which a P. Oak 11 in dia, bears N 80 W 58 in dia & a Do. 12 " " " N 30 3/4 E 55 " "
46.32	To a W. Oak 10 " " in the line,
48.54	" " P. Oak 14 " " " " "
80.00	To Town corner that is - T. 36 & 37 N Ranges. 1 & 2 W. 2 nd Mer. Indiana - a W. Oak 12 in dia, bears N 40 E 2 in. dia & & a Do. 13 " " " N 75 W 8 " " Land &c. is same as on last mile, Var. 5, 35 E - Dec. 18, 1833. - Surveyed by Clark & Abley Dep. Sur.
East Boundary.	

North On Randome on E. side of sec. 36. Var. 6. E,
51. 04 Intersect the old line South boundary of
the 10 mile strip. 47 in. W. of intersection

T. 37 N. R. 2 W. 2nd Mer, Ind 9

Co. Sec. of same Range line from the North

South Correct on E. side of sec. 36 (Var. 5° 25' E.)
 24.23 To a Br. Oak 16 in. dia. in the line,
 51.04 " the lower corner, land heavily good
 soil & the timber is W. Br. & Y. Oak & Hickory,
 Dec. 19th 1833, surveyed by Clark & Ashley D. C.

South Between Rs. 1 & 2nd Mer. from cor. T. 37 & 38 N.
 17.12 To a Sugar 22 in. dia. in line. (Var. 5° 35' E.)
 40.00 Set the gr. sec. cor. post E. side of sec. 1,
 a Spruce 22 in. dia. heavy N 29 E 26 M. dia.
 & a Forked Bl. Walnut 24 in. dia. " S 31 W 37 " "
 Red Oak 20 in. dia. heavy N 22 W 10 M. dia.
 50.00 To scattering timber
 58.00 Enter prairie course N E & W
 80.00 Set post in mound cor. to Sec. 1 & 2,
 Rolling 2nd rate land 1st 50 M. well timber?
 with Sugar Ash Walnut Hickory Spruce &
 & under 2nd W. Hickory Hazel briars &c.

South On the E. side of sec. 12
 31.50 To Chicago trail course S. W.
 35.64 " a Br. Oak 18 in. dia. in the line
 & leave the prairie
 40.00 Set the gr. sec. cor. post from which
 a — 16 in. dia. heavy S 66 W 10 1/2 M. dia. &
 a Br. Oak 14 " " N 68 W 15 " "
 55.04 To a Br. Oak 24 in. dia. in the line,
 a large prairie heavy W. S. W.
 80.00 Set a post cor. to sec. 12 & 13 from wh.
 a Bl. Oak 26 in. dia. heavy S 18 W 1 1/2 M. dia.
 & a Bl. Oak 18 " " " N 44 W 48 " "
 Level sec. 1 rate & the timber is Bl. Br. Oak
 & Y. Oak & W. Oak &c. N. G. & a few Hazel Briars &c.

T. 37 N. R. 2 W. 2nd New, Ind.C. L.
South

10.00

On the E. side of sec. 3,

Enter bearing

40.00

Set the gr. sec., cor. post from which
a Br. Oak 20 in. dia., bears N 37° W 331 lks,
& no other tree near,

40.00

Enter a prairie mostly wet,

59.50

Cut E. end of a small grove,

80.00

Raise a mound & set a post cor. sec. 13 & 24
Rolling inferior sec. rate land & the
timber is low scrubby & scarce,

South

40.00

On the E. side of sec. 24,

Set the gr. sec., cor. & Raise a mound

80.00

Set post cor. to sec. 24 & 25 & Raise mound
Land level sec. rate prairie,

South

40.00

On the E. side of sec. 25,

Set the gr. sec., cor. post in mound in prairie

80.00

Set a post cor. to sec. 24 & 25,
in prairie & Raise a mound
Level sec. rate prairie land,

South

15.00

On the E. side of sec. 36,

Enter scattering timber,

17.28

To a Forked Br. Oak 18 in. dia.,

31.14

To E. line from S. bend of Lake
Michigan. 6.92 lks, W. of the 38 mile
post, where set post cor. to Trac,
Town 37 N. & Range 18 W also cor.
to frac. 31 & 36, from which a
W. Oak 14 in. dia., bears N 71° W 215 lks,
& a Br. Oak 16 " " " N 70½° E 219.
Land level & 2nd & the timber is scattering
Low Oak. Hickory & N. G. Beech & scrubby,

T. 37 N. R. 2 W. 2nd, New. Ind. a.

308

Co. L. June 18th 1829. Surveyed by
David Willis Dep. Sur.

North Boundary, (Var. 57° 35' E.)
On the S. side of sec 36, T. 38 N. R. 2 W.
To a Lake supposed area 100 ays S. W.
set post on a point from which
a W. Oak 8 in. dia. bears N 53 E 5 1/2 M. dist,
a Bl. Oak 4 " " " S 81 W 9 " "
40.00 set the gr. sec. cor post from which
a Red Oak 10 in. dia. bears S 24 W 11 1/2 M. dist,
a Beech 16 " " " N 87 E 8 " "
note, this cor. was set 4.85 M. north of line
having offset the lake & leave lake at corner,
50.25 Leave the Lake & set post in line,
a Maple 10 in. dia. bears S 22 E 36 M. dist,
a Beech 10 " " " N 27 E 5 " "
53.50 To a small lake offset North 2.00
56.00 Paid offset & leave lake
60.58 To a Sugar 18 in. dia. in the line,
68.30 " a L. Ash 40 " " " " "
80.00 set a post cor. to sec. 35 & 36 from which
an Ironwood 5 in. dia. bears N 32 W 19 M,
a L. Ash 6 " " " N 21 E 6 1/2 "
Part level & part rolling & 2nd rate & the
timber is Sugar, Beech, Spruce, Ash, Elm,
Oak, Hickory, Ironwood, &c. N. Y. Hazel, Hickory,
Ash, Iron, Spruce, Dogwood &c.

Next On the S. side of sec. 35, T. 38 N. R. 2 W.,
7.00 Enter a swamp mostly North
14.50 Leave the same,
19.51 To a Beech 18 in. dia. in the line
40.00 set the gr. sec. cor. post from which

T. 37 N. R. 2 W. 2^d Mer. Ind^y

61.20	an Elm 4 in. dia. bears at 34 & 30 lbs. dia, & a Beech 28 " " " at 25 W 50 " "
62.20	To a W. Elm 24 " " in the line,
80.00	Set a post cor. to sec. 34 & 35 from wh. a Sugar 5 in. dia. bears at 50 E 10 lbs. dia & & a Hickory 14 " " " at 8 W 20 " "
	Part level & part rolling & sec. rate land & the timber is Sugar, Beech, Elm, Walnut, Lynum Oak &c, H. G. Spruce Ash Sugar Hickory, Elm,
West	On the S. side of sec. 34 & 38 N. R. 2 W
22.09	To a Sugar 6 in. dia. in the line,
40.00	Set the gr. sec. cor. post from which a Beech 12 in. dia. bears at 35 E 49 lbs. dia, & a Beech 22 " " " at 29 W 55 " "
58.00	To a Red Oak 40 " " in the line,
80.00	Set a post cor. to sec. 33 & 34 from wh. a Sugar 12 in. dia. bears at 51 E 16 lbs. dia, & a Do. 4 " " " at 72 W 30 " "
	Part level & rolling & sec. rate & the timber is Sugar, Beech, Ash, Elm, Poplar, Hickory, Lynum, & H. G. Spruce Ash Hickory, Hornwood, Beech, Sugar &c
West	On the S. side of sec. 33 & 38 N. R. 2 W
21.80	To a Beech 22 in. dia. in the line
40.00	Set the gr. sec. cor. post from which a Hornwood 6 in. dia. bears at 21 W 11 lbs. dia, & a Poplar 14 in. dia. bears at 34 E 12 lbs. dia
57.24	To a Sugar 22 " " in the line,
80.00	Set a post cor. to sec. 32 & 33 from which a Lynum 12 in. dia. bears at 48 W 29 lbs. & a H. Ash 10 " " " at 31 E 9 " dia
	Level & sec. rate land & the timber is

T 37 N. R. 2 W. 2nd Mer. Ind.

C. E.

is Sugar. Ash, Elm, Beech, Lyrus, Poplar &c,
mud, &c, Spruce, Ash, Beech, Sugar &c,

Met On the S. side of sec. 32, T 38 N. R. 2 W
24.25 To a Lyrus 28 in. dia. in the line,
34.50 Entered barney
40.00 Set the q. sec. cor. post from which
a Hickory 3 in. dia. bears N 81 W 8 1/2 m. dist,
& a Bl. Oak 4 " " " N 87 E 10 " "
65.87 To a W. Oak 16 " " in the line,
80.00 Set a post cor. to sec. 31 & 32 from wh.
a Bl. Oak 24 in. dia. bears N 23 E 155 m. dist,
& a Bl. Oak 14 " " " N 27 W 117 " "
Level sec. & a. part rolling barney 3^d rate
land. & the timber on 1st 1/2 mile Beech, Sugar
Elm, Lyrus Ash &c, on 2nd 1/2 mile Red Oak
&c, & the mud, &c, Spruce, Oak Hickory.

Met On the S. side of sec. 31, T 38 N. R. 2 W
33.35 To a W. Oak 18 in. dia. in the line,
40.00 Set the q. sec. cor. post from which
a W. Oak 22 in. dia. bears N 19 E 30 m. dist,
& a W - 20 " " " N 56 W 5 " "
61.77 To a W. Oak 16 " " in the line,
80.00 Set a post cor. to T. 37 & 38 N. R. 2 & 3 W -
a Bl. Oak 16 in. dia. bears N 75 E 6 m. dist,
& a Bl. Oak 18 " " " S 2 E 13 " "
& a Do. 16 " " " S 15 W 22 " "
& a W. Oak 22 " " " N 45 W 15 " "
Land rolling poor 3^d rate land & the
timber is Bl. Oak & Hickory &c,
mud, &c, is Oak &c. June 20th 1829,
Surveyed by Thomas Brown D. D.

Met Boundary,

T. 37 N. R. 2 W. 2nd. New. Ind.

6.26 South On the E. side of sec. 12 T 37 N R 3 W
 24.45 To a W. Oak 16 in dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a Bl. Oak 22 in dia. bears S 25 W 59th dist.,
 & a Dr. 22 " " " N 30 W 89 "
 46.00 To a Buttonwood swamp cor. West,
 61.10 " " Hickory 6 in dia. in the line,
 70.00 Enter a glade cor. E & W
 74.50 Leave the same,
 80.00 Set a post cor. to sec. 1 & 12 from wh.
 a W. Oak 16 in dia. bears N 84 W 29th dist.,
 & a Dr. 18 " " " S 79 W 130 " "
 Rolling sandy second & 3rd rate land
 & the timber is W. B. Oak Hickory &
 Mud. Elm is Hickory Oak & ,

South On the E. side of sec. 12 T 37 N R 3 W,
 22.36 To a Sp Oak 20 in dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a Spruce 30 in dia. bears S 25 W 15th dist.,
 & a Hickory 3 " " " N 29 W 11 " "
 52.60 To a Poplar 24 " " in the line,
 65.60 To a Sugar 16 " " " "
 80.00 Set a post cor. to sec. 12 & 13 from wh.,
 a Birch 10 in dia. bears S 16 W 35th dist.,
 & an Ironwood 6 " " " N 45 W 29 " "
 Land rolling rich & 2nd rate Land & the
 timber is Spruce, Sugar, Walnut Birch Ash
 Oak & . & the 1st, 2nd, 3rd, 4th, 5th, 6th, 7th, 8th, 9th, 10th, 11th, 12th, 13th, 14th, 15th, 16th, 17th, 18th, 19th, 20th, 21st, 22nd, 23rd, 24th, 25th, 26th, 27th, 28th, 29th, 30th, 31st, 32nd, 33rd, 34th, 35th, 36th, 37th, 38th, 39th, 40th, 41st, 42nd, 43rd, 44th, 45th, 46th, 47th, 48th, 49th, 50th, 51st, 52nd, 53rd, 54th, 55th, 56th, 57th, 58th, 59th, 60th, 61st, 62nd, 63rd, 64th, 65th, 66th, 67th, 68th, 69th, 70th, 71st, 72nd, 73rd, 74th, 75th, 76th, 77th, 78th, 79th, 80th, 81st, 82nd, 83rd, 84th, 85th, 86th, 87th, 88th, 89th, 90th, 91st, 92nd, 93rd, 94th, 95th, 96th, 97th, 98th, 99th, 100th, 101st, 102nd, 103rd, 104th, 105th, 106th, 107th, 108th, 109th, 110th, 111st, 112nd, 113rd, 114th, 115th, 116th, 117th, 118th, 119th, 120th, 121st, 122nd, 123rd, 124th, 125th, 126th, 127th, 128th, 129th, 130th, 131st, 132nd, 133rd, 134th, 135th, 136th, 137th, 138th, 139th, 140th, 141st, 142nd, 143rd, 144th, 145th, 146th, 147th, 148th, 149th, 150th, 151st, 152nd, 153rd, 154th, 155th, 156th, 157th, 158th, 159th, 160th, 161st, 162nd, 163rd, 164th, 165th, 166th, 167th, 168th, 169th, 170th, 171st, 172nd, 173rd, 174th, 175th, 176th, 177th, 178th, 179th, 180th, 181st, 182nd, 183rd, 184th, 185th, 186th, 187th, 188th, 189th, 190th, 191st, 192nd, 193rd, 194th, 195th, 196th, 197th, 198th, 199th, 200th, 201st, 202nd, 203rd, 204th, 205th, 206th, 207th, 208th, 209th, 210th, 211st, 212nd, 213rd, 214th, 215th, 216th, 217th, 218th, 219th, 220th, 221st, 222nd, 223rd, 224th, 225th, 226th, 227th, 228th, 229th, 230th, 231st, 232nd, 233rd, 234th, 235th, 236th, 237th, 238th, 239th, 240th, 241st, 242nd, 243rd, 244th, 245th, 246th, 247th, 248th, 249th, 250th, 251st, 252nd, 253rd, 254th, 255th, 256th, 257th, 258th, 259th, 260th, 261st, 262nd, 263rd, 264th, 265th, 266th, 267th, 268th, 269th, 270th, 271st, 272nd, 273rd, 274th, 275th, 276th, 277th, 278th, 279th, 280th, 281st, 282nd, 283rd, 284th, 285th, 286th, 287th, 288th, 289th, 290th, 291st, 292nd, 293rd, 294th, 295th, 296th, 297th, 298th, 299th, 300th, 301st, 302nd, 303rd, 304th, 305th, 306th, 307th, 308th, 309th, 310th, 311st, 312nd, 313rd, 314th, 315th, 316th, 317th, 318th, 319th, 320th, 321st, 322nd, 323rd, 324th, 325th, 326th, 327th, 328th, 329th, 330th, 331st, 332nd, 333rd, 334th, 335th, 336th, 337th, 338th, 339th, 340th, 341st, 342nd, 343rd, 344th, 345th, 346th, 347th, 348th, 349th, 350th, 351st, 352nd, 353rd, 354th, 355th, 356th, 357th, 358th, 359th, 360th, 361st, 362nd, 363rd, 364th, 365th, 366th, 367th, 368th, 369th, 370th, 371st, 372nd, 373rd, 374th, 375th, 376th, 377th, 378th, 379th, 380th, 381st, 382nd, 383rd, 384th, 385th, 386th, 387th, 388th, 389th, 390th, 391st, 392nd, 393rd, 394th, 395th, 396th, 397th, 398th, 399th, 400th, 401st, 402nd, 403rd, 404th, 405th, 406th, 407th, 408th, 409th, 410th, 411st, 412nd, 413rd, 414th, 415th, 416th, 417th, 418th, 419th, 420th, 421st, 422nd, 423rd, 424th, 425th, 426th, 427th, 428th, 429th, 430th, 431st, 432nd, 433rd, 434th, 435th, 436th, 437th, 438th, 439th, 440th, 441st, 442nd, 443rd, 444th, 445th, 446th, 447th, 448th, 449th, 450th, 451st, 452nd, 453rd, 454th, 455th, 456th, 457th, 458th, 459th, 460th, 461st, 462nd, 463rd, 464th, 465th, 466th, 467th, 468th, 469th, 470th, 471st, 472nd, 473rd, 474th, 475th, 476th, 477th, 478th, 479th, 480th, 481st, 482nd, 483rd, 484th, 485th, 486th, 487th, 488th, 489th, 490th, 491st, 492nd, 493rd, 494th, 495th, 496th, 497th, 498th, 499th, 500th, 501st, 502nd, 503rd, 504th, 505th, 506th, 507th, 508th, 509th, 510th, 511st, 512nd, 513rd, 514th, 515th, 516th, 517th, 518th, 519th, 520th, 521st, 522nd, 523rd, 524th, 525th, 526th, 527th, 528th, 529th, 530th, 531st, 532nd, 533rd, 534th, 535th, 536th, 537th, 538th, 539th, 540th, 541st, 542nd, 543rd, 544th, 545th, 546th, 547th, 548th, 549th, 550th, 551st, 552nd, 553rd, 554th, 555th, 556th, 557th, 558th, 559th, 560th, 561st, 562nd, 563rd, 564th, 565th, 566th, 567th, 568th, 569th, 570th, 571st, 572nd, 573rd, 574th, 575th, 576th, 577th, 578th, 579th, 580th, 581st, 582nd, 583rd, 584th, 585th, 586th, 587th, 588th, 589th, 590th, 591st, 592nd, 593rd, 594th, 595th, 596th, 597th, 598th, 599th, 600th, 601st, 602nd, 603rd, 604th, 605th, 606th, 607th, 608th, 609th, 610th, 611st, 612nd, 613rd, 614th, 615th, 616th, 617th, 618th, 619th, 620th, 621st, 622nd, 623rd, 624th, 625th, 626th, 627th, 628th, 629th, 630th, 631st, 632nd, 633rd, 634th, 635th, 636th, 637th, 638th, 639th, 640th, 641st, 642nd, 643rd, 644th, 645th, 646th, 647th, 648th, 649th, 650th, 651st, 652nd, 653rd, 654th, 655th, 656th, 657th, 658th, 659th, 660th, 661st, 662nd, 663rd, 664th, 665th, 666th, 667th, 668th, 669th, 670th, 671st, 672nd, 673rd, 674th, 675th, 676th, 677th, 678th, 679th, 680th, 681st, 682nd, 683rd, 684th, 685th, 686th, 687th, 688th, 689th, 690th, 691st, 692nd, 693rd, 694th, 695th, 696th, 697th, 698th, 699th, 700th, 701st, 702nd, 703rd, 704th, 705th, 706th, 707th, 708th, 709th, 710th, 711st, 712nd, 713rd, 714th, 715th, 716th, 717th, 718th, 719th, 720th, 721st, 722nd, 723rd, 724th, 725th, 726th, 727th, 728th, 729th, 730th, 731st, 732nd, 733rd, 734th, 735th, 736th, 737th, 738th, 739th, 740th, 741st, 742nd, 743rd, 744th, 745th, 746th, 747th, 748th, 749th, 750th, 751st, 752nd, 753rd, 754th, 755th, 756th, 757th, 758th, 759th, 760th, 761st, 762nd, 763rd, 764th, 765th, 766th, 767th, 768th, 769th, 770th, 771st, 772nd, 773rd, 774th, 775th, 776th, 777th, 778th, 779th, 780th, 781st, 782nd, 783rd, 784th, 785th, 786th, 787th, 788th, 789th, 790th, 791st, 792nd, 793rd, 794th, 795th, 796th, 797th, 798th, 799th, 800th, 801st, 802nd, 803rd, 804th, 805th, 806th, 807th, 808th, 809th, 810th, 811st, 812nd, 813rd, 814th, 815th, 816th, 817th, 818th, 819th, 820th, 821st, 822nd, 823rd, 824th, 825th, 826th, 827th, 828th, 829th, 830th, 831st, 832nd, 833rd, 834th, 835th, 836th, 837th, 838th, 839th, 840th, 841st, 842nd, 843rd, 844th, 845th, 846th, 847th, 848th, 849th, 850th, 851st, 852nd, 853rd, 854th, 855th, 856th, 857th, 858th, 859th, 860th, 861st, 862nd, 863rd, 864th, 865th, 866th, 867th, 868th, 869th, 870th, 871st, 872nd, 873rd, 874th, 875th, 876th, 877th, 878th, 879th, 880th, 881st, 882nd, 883rd, 884th, 885th, 886th, 887th, 888th, 889th, 890th, 891st, 892nd, 893rd, 894th, 895th, 896th, 897th, 898th, 899th, 900th, 901st, 902nd, 903rd, 904th, 905th, 906th, 907th, 908th, 909th, 910th, 911st, 912nd, 913rd, 914th, 915th, 916th, 917th, 918th, 919th, 920th, 921st, 922nd, 923rd, 924th, 925th, 926th, 927th, 928th, 929th, 930th, 931st, 932nd, 933rd, 934th, 935th, 936th, 937th, 938th, 939th, 940th, 941st, 942nd, 943rd, 944th, 945th, 946th, 947th, 948th, 949th, 950th, 951st, 952nd, 953rd, 954th, 955th, 956th, 957th, 958th, 959th, 960th, 961st, 962nd, 963rd, 964th, 965th, 966th, 967th, 968th, 969th, 970th, 971st, 972nd, 973rd, 974th, 975th, 976th, 977th, 978th, 979th, 980th, 981st, 982nd, 983rd, 984th, 985th, 986th, 987th, 988th, 989th, 990th, 991st, 992nd, 993rd, 994th, 995th, 996th, 997th, 998th, 999th, 1000th, 1001st, 1002nd, 1003rd, 1004th, 1005th, 1006th, 1007th, 1008th, 1009th, 1010th, 1011st, 1012nd, 1013rd, 1014th, 1015th, 1016th, 1017th, 1018th, 1019th, 1020th, 1021st, 1022nd, 1023rd, 1024th, 1025th, 1026th, 1027th, 1028th, 1029th, 1030th, 1031st, 1032nd, 1033rd, 1034th, 1035th, 1036th, 1037th, 1038th, 1039th, 1040th, 1041st, 1042nd, 1043rd, 1044th, 1045th, 1046th, 1047th, 1048th, 1049th, 1050th, 1051st, 1052nd, 1053rd, 1054th, 1055th, 1056th, 1

304

T. 37 N. R. 2 W 2nd Mer. Ind^a,

6.00 To a swamp, offset E. 300 yds,
 29.50 Reduced offset to W 300,
 35.00 Set the gr. sec. cor. post from which
 40.00 a Lynn 24 in. dia. heavy N 21 W 26 lbs. dia,
 & a Beech, 30 " " " S 80 W 28 " "
 61.00 To a Lynn 20 " " in the line,
 80.00 Set a post cor. to sec. 13 & 24 from which
 a Lynn 6 in. dia. heavy N 59 W 30 lbs. dia,
 & a Forked do. 50 " " " S 35 W 48 " "
 post level with & third rate post rolling
 & 2nd rate land & the timber is Beech, Sugar,
 Lynn, Walnut Elm, Ash Pine Birch &
 Mud, Elm, Spruce, Ash, Hickory Lynn Maple
 Whortle, heavy &

South On the E. side of sec. 24 T. 37 N. R. 3 W,
 14.35 To an Aspen 18 in. dia. in the line,
 15.00 Enter an old Indian cornfield,
 19.50 Leave the same
 29.00 Enter prairie or rather heavy cor. S. E,
 40.00 Set the gr. sec. cor. post from which a
 scrub Br. Oak 8 in. dia. heavy N 20 W 91 lbs. dia,
 & a Br Oak 6 " " " N 85 W 84 " "
 40.00 Enter a large prairie
 80.00 Set a post cor. to sec. 24 & 25 & raise a mound
 Level 2nd rate & the timber on 1st 1/2 mile
 is Oak, Sugar, Lynn, Beech Aspen &, Mud,
 Elm, Shumaker, Hazed berries &

South On the E. side of sec. 25. T. 37 N. R. 3 W
 40.00 Set the gr. sec. cor. post & raise a mound
 80.00 Set a post cor. to sec. 25 & 36, in a mound
 Level sec. rate prairie land,

T. 37 N. R. 2 W. 2nd New. Ind. a.C. L.
South

24.71

On the E. side of sec. 36 T. 37 N. R. 3 W
To line from S. head of Lake Michigan
67.39 lks. East of 31st mile post, or 12.61 lks.
West of 32nd Mill post, where raised
& mound & set a post with cor. fr. T. 37 N.
R. 2 & 3 W. Land level 2nd rate all prairie
June 22nd 1829. Surveyed by
Thomas Brown D. S.

South

27.60

40.00

58.15

80.00

Subdivisions. T. 37 N. R. 2 W.
Between sections 1 & 2
To a Beech 20 in. dia. in the line,
Set the gr. sec. cor. post from which
a Beech 20 in. dia. bears S 33 W 15 lks. dia.,
& a Do. 9 " " " N 3 E 34 " "
To a Do. 14 " " in the line,
Enter prairie & set post cor. to sec. 12. 11 & 12
a G. Oak 18 in. dia. bears S 67 E 70 lks. dia.,
& a Do. 18 " " " S 32 W 120 " "
Land rolling 1st rate & the timber is
Sugar, Beech, Ch. Spruce Oak &c.,

East

40.00

41.50

80.20

On Random between sections 1 & 12
Set a temporary 44 sec. cor. post
To an Indian trail cor. W,
To the E. line of sec. 53 lks. S. of post,

West

40.10

80.20

Correct the line between sec. 1 & 12
Set the gr. sec. cor. post from which
a Br. Oak 10 in. dia. bears S 37 E 45 lks. dia.,
& no other timber near
To the section corner,
Land is rolling 1st rate prairie.

T. 37 N. R. 2 W. 2nd. New. Ind.;

C. L.	
South	Between sections 11 & 12
24.00	To an Indian trail en. W.
40.00	Set the gr. sec. cor. post & Raise a mound
80.00	Set a post cor. to sec. 11, 12, 13 & 14 & Raise a mound Land is rolling & first rate dry prairie
East	
	On Random between sections 12 & 13,
1.50	To Chicago trail en. S. W.
40.00	Set a temp. sec. cor. post. in mound
70.00	Enter barrens
79.70	To the E. boundy. 33 lks. S. of post,
West	
	Correct the line between sec. 12 & 13,
39.85	Set a gr. sec. cor. post & Raise a mound
79.70	To the sections corner, Land same as last,
South	
	Between sections 13 & 14
1.00	To Chicago trail en. S. W.
40.00	Set gr. sec. cor. post & Raise a mound
80.00	Set a post cor. to sec. 13, 14, 23 & 24 in prairie where raise a mound. Land is rolling & first rate prairie,
East	
	On Random between sections 13 & 24
40.00	Set a temp. gr. sec. cor. post
79.85	To the E. line of sec. at post in mound
West	
	Correct the line between sections 13 & 24
39.92	Set gr. sec. cor. post & Raise a mound. in prairie
79.85	To the sections corner Land as before,
South	
	Between sections 23 & 24
40.00	Set a gr. sec. cor. post & Raise a mound
80.00	Set a post cor. to sec. 23, 24, 25 & 26. in prairie,

T. 37 N. R. 2 W. 2nd. Mer. Ind.^a

C. L.	where raised a mound. Land is rolling 1 st rate & dry prairie, Dec. 8 th 1829.
East 40.00 80.30	On Random between sections 24 & 25 Set a tempy. gr. sec. cor. post, To the E. line of sec. 18 th. S. of post,
West 40.15 80.30	Correct the line between sec. 24 & 25 Set the gr. sec. cor. post from which in prairie, where raised a mound To the sections corner, Land same as last,
South 40.00 80.00	Between sections 25 & 26, Set the gr. sec. cor. post & Raise a mound Set a post cor. to sec. 25, 26, 36 & 35 in prairie where raised a mound, Land rolling & first rate dry prairie,
East 40.00 80.00	On Random between sections 25 & 36 Set the gr. sec. cor. (temporary post), To the E. line of sec. 38 th. S. of post,
West 40.00 80.00	Correct the line between sec. 25 & 36 Set the gr. sec. cor. post. in prairie, where raised a mound. - for monument To the sections corner, Land &c. same as on last mile, —
South 9.00 28.45	Between sections 35 & 36, Leave the prairie To the Indian boundy. line & set post cor. to sec. 35 & 36 from which a Square 12 in dia. bears N 30 E 8 ths dist & an Iron? 4 " " " N 48 W 17 " "

T. 37 N. R. 2 W. 3rd Mer. Ind. 308

C. L. Land level, soil good & the timber is
Sugar, Birch, Elm, Spruce Hickory Oak Ash,

South Between sections 3 & 3,
6.00 To a Lake
12.00 Leave the Lake,
28.00 To a Sugar 30 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a Birch 15 in. dia. bears N 70° W 12 1/2 M. dist,
& a Do. 18 " " " S 77° E 30 " "
59.20 To a Spruce 30 " " in the line,
72.00 To a Lake,
80.00 Set a post cor. to sections 2, 3, 10 & 11 in Lake,
a W. Oak 18 in. dia. bears East 100 M. dist,
& no other timber near,
Land is rolling & 2nd rate & the timber is
Sugar, Birch, W & R. Oak Spruce & Bl. Walnut,

East On Random between sections 3 & 11
1.00 Leave the Lake
40.00 Set a temporary 1/4 sec. cor. post
80.30 To the E. boundary of sec. at post,

West Blazed back between sections 3 & 11
40.15 Set the gr. sec. cor. post from which
a Sugar 36 in. dia. bears N 27° E 11 M. dist,
& a Do. 30 " " " N 4° W 42 " "
80.30 To the section's corner,
Land is same as on last mile,

South Between sections 10 & 11
3.00 Leave the Lake & Enter a swamp
16.00 Leave the swamp
23.23 To a Bl. Walnut 18 in. dia. in the line

T. 37 N. R. 2 W. 2^d Mer. Ind.

6.50	Enter Raney
26.00	
40.00	Set the gr. sec. cor. post from which a W. Oak 18 in. dia. heavy N 68° W 10 lbs. Oak, + a Br. Oak 10 " " " N 88° E 9 " "
46.00	To an Indian trail cr. S. W
59.00	Enter a prairie
80.00	Set a post cor. to sec. 10, 11, 14 & 15 in prairie where raised a mound. Land is rolling 2 nd rate. & the timber is Sugar Bush walnut Oak &c
East	On Random between sec. 11 & 14
40.00	Set the tempy. 1/4 sec. cor. post,
79.78	To the E. corner of sec. 19 lbs. S. of post,
West	Correct the line between sec. 11 & 14
39.89	Set the gr. sec. cor. post & Raise a mound
79.78	To the section's corner, Dec. 9. 1829, Land is rolling & 1 st rate & dry prairie
South	Between sections 14 & 15
40.00	Set a gr. sec. cor. post & Raise a mound
45.00	To Chicago trail cr. S. W,
80.00	Set a post cor. to sec. 14, 15, 22 & 23, in prairie where raised a mound. Land is rolling & first rate dry prairie,
East	On Random between sec. 14 & 23,
38.00	Enter Island of timber
40.00	Set the tempy. 1/4 sec. cor. post
59.00	Enter prairie
79.90	To the E. line of sec. 33 lbs. S. of post,
West	Correct the line between sec. 14 & 23,

T. 37 N. R. 2 W. 2nd. Mer. Ind. 310

6. L.
39.95 Set the gr. sec. cor. post from which
a W. Oak 9 in. dia. bears S 85° W 50 lbs. dist.
& a Do. 8 " " " N 32° E 80 " "

79.90 To the sections corner,
Land level, soil & the timber good
& the timber is Sugar, Lyne Elm & W. Oak,

South Between sections 22 & 23,
40.00 Set the gr. sec. cor. post for which
raised a mound in prairie,
64.00 Enter canon,
80.00 Set a post cor. to sec. 22. 23. 26 & 27,
a Br. Oak 12 in. dia. bears N 18° E 49 lbs.
& a Do. 10 " " " N 7° W 90 " dist.
Land rolling soil good & the timber
is Br. Oak. On the south,

East On Random between sections 23 & 26
70.00 Enter a prairie
40.00 Set a temporary 1/4 sec. cor. post,
79.80 To the E. line of sec. 50 lbs. dist. post

West Crossed the line between sec. 23 & 26
39.90 Set the gr. sec. cor. post & raise a mound,
73.00 Enter canon
79.80 To the sections corner,
Land &c. is same as on last mile

South Between sections 26 & 27
20.47 To a Br. Oak 6 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a Br. Oak 10 in. dia. bears N 40° E 32 lbs.
& a Do. 6 " " " N 17° E 18 " dist.
59.20 To a W. Oak 12 " " in the line,

T. 37 N. R. 2 W. 2^d Mer. Ind.C. L.
80.00

Set a post cor. to Secs. 36 & 37, 34 & 35
 a Br. Oak 12 in. dia. bears N 81 E 22 lks,
 & a Do. 10 " " " S 38 W 40 "
 Land level first rate bearing & the
 timber is W. Br. Oak, &c

East

40.00

60.00

79.63

On Random between sections 26 & 35
 Set a temporary survey cor. post,
 Enter a prairie,
 To the E. line of sec. 43 lks. S. of post,

West

34.82

79.63

Corner the line between secs. 26 & 35
 Set the gr. survey cor. post from which
 a Br. Oak 8 in. dia. bears East 29 lks. dia.
 & a Do. 7 " " " S 15 E 50 " "
 To the survey corner,
 Land level 1st rate bearing & the timber
 is W. Br. Oak &c

South

16.20

27.36

Between sections 34 & 35,
 To a Br. Oak 14 in. dia. in the line,
 To the Indian boundary & set post
 cor. to Secs. 34 & 35 from which
 a B. Oak 30 in. dia. bears N 4 W 65 lks. dia.,
 No other timber near
 Land level & 1st rate bearing & the timber
 is same as on last mile,

South

20.55

40.00

58.10

Between sections 3 & 4 -
 To a L. Ash 18 in. dia. in the line,
 Set the gr. survey cor. post from which
 a Sugar 30 in. dia. bears S 35 W 34 lks. dia. &
 a Birch 7 " " " N 19 E 10 " "
 To a Birch 20 " " in the line,

T. 37 N. R. 2 W. 2nd New Ind,^a

C. L.
80.00 Set a post cor. to sec. 3, 4, 9 & 10, from wh.
a Sugar 30 in. dia. bears S 79 E 12 the post,
& a Beech 12 " " N 2 W 20 " "
Land is rolling, soil good & the timber
is Sugar, Beech, Elm, Lyrus Walnut Ash & Oak,
Dec. 10th 1829, (Thomas Henderson D. B.)

East On Random between sec. 3 & 10
40.00 Set a temporary - 1/4 sec. cor. post,
42.83 To a Lake
49.56 To the E. boundary, 30 the S. of post,

West Correct the line between sec. 3 & 10
39.78 Set a gr. sec. cor. post from which
an Elm 10 in. dia. bears N 49 E 6 the int.,
& a Beech 10 " " S 59 W 36 " "
79.56 To the section corner, Land &c. same as last mile

South Between sections 9 & 10,
20.00 To a Beech 30 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a Beech 9 in. dia. bears N 26 W 12 the int.,
& a Do. 28 " " S 26 E 13 " "
45.00 To an Indian trail cor. W,
50.00 Enter bearing,
58.25 To a B. Oak 15 in. dia. in the line,
80.00 Set a post cor. to sec. 9, 10, 15 & 16 from wh.
a Br. Oak 18 in. dia. bears S 62 W 31 the int.,
& a Do. 18 " " North 75 " "
Land level soil good. & the timber is
Sugar, Beech, Elm Oak &c

East On Random between sections 10 & 15
5.00 Enter a prairie

T. 37 N. R. 2 W. 2nd. Mon. 2nd;

6.00	Set a tump, q. sec. cor. post
40.00	To the E. line of sec, 69, 1/4 mi. S. of post,
79.83	
West	Correct the line between sec, 15 & 15
39.91	Set the q. sec. cor. post from which
	no bearings - but Raised a mound
79.83	To the sections corner,
	Land is rolling & 1 st rate prairie,
South	Between sections 15 & 16,
6.00	Enter a prairie
30.00	Leave the Do. & Enter canopy
40.00	Set the q. sec. cor. post from which
	a Br. Oak 12 in dia. heavy N 26 W 50 1/4 mi,
	& a Do. 9 " " " S 57 E 26 " dia,
70.00	Enter a wet prairie
80.00	Set a post cor. to sec, 15 & 16, 21 & 22,
	a Br. Oak 20 in dia, heavy N 6 W 10 1/4 mi dia,
	no other timber near, Land rolling
	soil good & the timber is Br. W & Br. Oak,
East	On Random between sec, 15 & 22
11.00	Leave wet prairie & crop Chicago trail, sw.
40.00	Set tump, 1/4 sec. cor.
49.00	Enter a dry prairie
80.03	To the E. line of sec, 33 1/4 mi. S. of post,
West	Correct the line between sec, 15 & 22,
40.01	Set the q. sec. cor. post from which
	a Br. Oak 15 in dia, heavy N 20 W 25 1/4 mi,
	& a W. Oak 28 " " " S 48 E 27 "
80.03	To the sections corner,
	Land is same as on last mile

314

T. 37 N. R. 2 W. 2nd Mer. Ind. a.

C. L.

South Between sections 21 & 22

- 15.20 To Chicago trail cr. NW,
 40.00 Set the gr. sec. cor. post & Rain mound,
 61.50 To a stream 10 hrs. wide cr. S. E.,
 75.00 " the same stream cr. W
 80.00 Set a post cor. to sec. 21, 22, 27 & 28,
 where raise a mound,
 Land all wet prairie,

East On Random between sections 22 & 27

- 22.00 Leave the wet prairie
 40.00 Set a trap. It sec. cor. post,
 79.64 To the E. line of sec at post,

Blazed Back West. Between sec. 22 & 27,

- 39.82 Set the gr. sec. cor. post from which
 a Br. Oak 18 in. dia. bears S 85° W 57th in.
 & a Do. 15 " " " S 62° E 21 " "
 79.64 To the sections corner,
 Land all wet prairie & Barrens & the
 timber is Br. & W. Oak & —

South Between sections 27 & 28,

- 40.00 Set the gr. sec. in prairie & Rain mound
 55.70 To a stream 15 hrs. wide cr. S. E.,
 56.50 Leave the wet prairie & Enter barrens
 80.00 Set a post cor. to sec. 27, 28, 33 & 34
 a Br. Oak 9 in. dia. bears N 75° E 65th in.
 & a Do. 7 " " " S 83° W 47 " "
 Land wet prairie & barrens & the timber
 is Br. Oak on the south, Dec. 11th 1829,

East On Random between sec. 27 & 34

- 20.00 Entered a wet prairie

315

T. 37 N. R. 2 W. 2nd. Mer. Ind.,

Co. L,	
36.00	To a stream 15 th wide cr. South
40.00	Set a tempy. $\frac{1}{4}$ sec. cor. post
75.00	Leave the prairie
79.83	To the E. line of sec. 20 th S. of post,
Met	Correct the line between sec. 27 & 34
39.91	Set the gr. sec. cor. post & raise mound
79.83	To the section corner, Land. corner & west prairie & the timber is Br. Oak
South	Between sections 33 & 34
14.00	Entered a dry prairie
26.27	To old Indian boundary. Set post cor. to sec. 33 & 34 - Raised a mound,
South	Between sections 4 & 5
21.82	To a Bush 30 th dia. in the line,
40.00	Set a gr. sec. cor. post from which a Bush 10 th dia. bears N 11 E 13 th dist, Va Do. 40 " " " S 50 E 32 " "
56.42	To a Bush 18 th " " in the line,
80.00	Set a post cor. to sec. 4 & 5 from wh. a Lynx 9 th dia. bears N 8 E 21 th dist, Va Do. 9 " " " N 33 W 12 " "
	Land level soil good & the timber is Sugar, Bush Lynx. G. Ash, Elm Oak & Poplar
East	On Random between sec. 4 & 9
40.00	Set a tempy. $\frac{1}{4}$ sec. cor. post,
79.98	To the E. boundary of sec. 10 th N. of post, Land &c is same as last,

316

T. 37 N. R. 2 W. 2nd. New, Ind^a,

6.26
West Correct the line between sec. 4 & 9
39.99 Set the gr. sec. cor. post from which
a Beech 9 in. dia. bears S 26 E 19 1/2 M. dist.
& a Sugar 28 " " " N 29 E 5 " "
79.98 To the section corner,

South Between sections 8 & 9
18.00 To an Indian Nail en. NW
20.00 To a Beech 18 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
an Elm 10 in. dia. bears S 84 W 20 1/2 M. dist.
& a Sugar 7 " " " N 8 W 6 " "
61.45 To a Poplar 20 " " in the line,
80.00 Set a post cor. to sec. 8, 9, 16 & 19 from wh.
a Spruce 18 in. dia. bears N 10 E 32 1/2 M. dist.
& a Red Oak 24 " " " N 85 W 42 " "
Land had soil good & timber same as last,

East On Random between sections 9 & 16
15.00 Enter bearing
40.00 Set a temporary 1/4 sec. cor. post,
79.44 To the E. boundary of sec. 30 M. N. of post,

West Correct the line between sec. 9 & 16
39.72 Set the gr. sec. cor. post from which
a Br. Oak 15 in. dia. bears N 22 E 7 1/2 M.
& a Do. 12 " " " S 35 E 47 "
79.44 To the section corner, Land 1st -
Bearing the timber is Br. W. & Y. Oak

South Between sections 16 & 19
21.50 To a Beech 18 in. dia. in the line
31.00 Enter bearing
40.00 Set the gr. sec. cor. post from which

T. 37 N. R. 2 W. 3rd Meridian;

C. S.

	a W. Oak 18 in. diam. bears N 30° W 67 th M., & a Br. Oak 15 " " " N 30° E 72 "
62.87	To a Br. Oak 15 " " in the line,
63.00	Enter a wet prairie
80.00	Set a post cor. to sec. 16, 17, 20 & 21 from wh. a Br. Oak 15 in. diam. bears North 17 th M., & no other timber near. Land nothing soil good & the timber is same as before
East	On Random between 16 & 21
10.00	Leave the wet prairie
40.00	Set a temp. gr. sec. cor. post
64.00	Enter a wet prairie,
80.10	To the E. line of sec. 19 M. N. of post.
West	Correct the line between sec. 16 & 21
10.00	Leave the wet prairie
60.05	Set the gr. sec. cor. post from which a Br. Oak 15 in. diam. bears N 44° E 50 th M., & no other timber near,
80.10	To the section corner, Land is all wet prairie & barrens & the timber is Oak,
South	Between sections 20 & 21
20.90	To a stream 8 M. wide cor. S. E
40.00	Set the gr. sec. cor. post from which a Br. Oak 12 in. diam. bears S 28° E 12.25 M., & no other timber near,
57.00	Leave the wet prairie
80.00	Set a post cor. to sec. 20, 21, 28 & 29 a Br. Oak 18 in. diam. bears S 54° E 23 th M. only & a Do. 18 " " " N 53° E 84 " " Land is wet prairie & sparsely barrens & the timber is Br. & W. Oak. Dec. 12 th 1829.

318

T. 37 N. R. 2 W. 2nd New. Ind.;

Cr. L.
East On Random between sections 21 & 28,
40.00 Set a tempy. gr. sec. cor. post -
43.00 Entered a wet prairie
50.00 To a stream 12 M. wide on S. E.,
80.03 To the E. line of sec. 59 M. N. of post,

West Correct the line between sec. 21 & 28,
40.01 Set the 2d. sec. corner post from which
a Br. Oak 20 in. dia. bears N 10 E 30 M. dist.,
+ an Iron wood 12 " " " N 60 W 17 " "
80.03 To the section corner, Land is same as

South Between sec. 28 & 29
3.00 Entered a prairie
4.50 To Chicago trail on S. W.,
40.00 Set the gr. sec. cor. post & raise a mound
80.00 Set a post cor. to sec. 28 & 29, 32 & 33,
where raise a mound
Land rolling & first rate Dry prairie

East On Random between sections 28 & 33,
28.00 Leave the prairie & enter barrens
40.00 Set the gr. tempy. post,
80.50 To the E. boundary, at post,

West Blazed back on line between sections 28 & 33
40.25 Set the gr. sec. cor. post from which
a Br. Oak 12 in. dia. bears N 72 W 20 M.,
+ a Do. 20 " " " S 60 E 61 "
80.50 To the section cor. Land is rolling, soil
is good & the timber is Br. & W. Oak &c

South Between sections 32 & 33
25.18 To the Indian boundary & set post,

T. 37 N, R. 2 W. 2nd Mer. Ind.

La L. cor. to sections 32 & 33 where raised a mound
Land is rolling 1st rate dry prairie,

South Between sections 5 & 6,
26.12 To a W. Oak 20 in dia. in the line.
40.00 Set the gr. sec. cor. post from which
a W. Oak 20 in dia. bears N 31 W 67 1/2 mi. dist,
& a G. Oak 20 " " " S 81 E 33 " "
62.75 To a G. Oak 36 " " in the line,
77.00 To an Indian trail course W,
80.00 Set a post cor. to sec. 5: 6.7 & 8, from which
a W. Oak 30 in dia. bears N 42 W 9 1/2 mi. dist &
& a G. Oak 30 " " " S 73 E 38 " "
Land is rolling & 2nd rate heavy & the
timber is G. K. & W. Oak &c

East On Random between sections 5 & 8,
40.00 Set a temporary gr. sec. cor. post from which,
75.00 Enter thick woods
80.10 To the E. line of sec. 42 1/2 mi. S. of post,

West Correct the line between sec. 5 & 8,
40.05 Set the gr. sec. cor. post from which
a G. Oak 18 in dia. bears N 79 E 42 1/2 mi. dist,
& a W. Oak 15 " " " S 61 W 33 " "
80.10 To the section corner, Land is rolling as
on the last mile,

West Between sections 6 & 7
26.62 To a W. Oak 20 in dia. in the line,
30.00 Enter a wet prairie
40.00 Set the gr. sec. cor. post from which
a W. Oak 18 in dia. bears N 28 E 10 chs.,
& no other near,

Course 2

T. 39 N. R. 2 W. 3rd Mer. Ind. a.

62.40 Leave the prairie
 79.78 To the W. boundary, at post
 Set post cor. to sec. 6 & 7, from which
 a W. Oak 20 in. dia. bears S 76° 28' W. 28 ft. dia.
 & a Do. 20 " " " N 40° E 100 ft. "
 Land is rolling & rate bearing the
 timber is G. W. & R. Oak, &c.

South Between sections 7 & 8,
 40.00 Set the gr. sec. cor. post from which
 a Hickory 9 in. dia. bears N 66° 21' W. 21 ft. dia.
 & a Do. 9 " " " S 77° 15' W. 16 " "
 60.00 To a Spruce 30 " " in the line,
 80.00 Set a post cor. to sec. 7, 8, 17, & 18 from which
 a Birch 20 in. dia. bears N 56° 18' W. 18 ft. dia.
 & an Ironwood 9 " " " S 5° 13' W. 13 " "
 Land is rolling & the soil good & the timber
 is Sugar, Birch, Hickory, Spruce, Elm & W. &
 R. Oak &c.

East On Random between sections 8 & 17
 15.00 Enter a wet prairie
 40.00 Set a temporary gr. sec. cor. post
 43.00 Leave the wet prairie
 79.80 To the E. line of sec. 20 th. S. of post,

West Correct the line between sec. 8 & 17
 39.90 Set the gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears N 40° 57' W. 20 ft. dia.
 & a Do. 15 " " " N 70° E 650 ft. "
 79.80 To the section corner, Land &c. is same
 as on the last mile,

West Between sections 7 & 18,

T. 37 N. R. 2 W. 2nd Mer. Ind.

Co. L,
 19.83 To an Elm 30 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a Beech 20 in. dia. bears N 77 E 19 M.,
 & a Do. 15 " " " S 53 W 49 "
 68.12 To a Sugar 18 " " in the line,
 79.98 To the W. boundary, 5 M. S. of post,
 where set a post cor. to sec. 17 & 18,
 a Beech 9 in. dia. bears S 81 E 20 M., dish
 & a Sugar 16 " " " N 47 E 55 " "
 Land rolling soil good & timber as before,

South Between sections 17 & 18,
 17.12 To a Red Oak 30 in. dia. in the line,
 40.00 Set a post for 1/4 sec. cor. from which
 a W. Oak 20 in. dia. bears S 57 W 4 M., dish
 & a R. Oak 10 " " " S 35 E 21 " "
 60.45 To a Beech 24 " " in the line,
 80.00 Set a post cor. to sec. 17, 18, 19 & 20 -
 a R. Oak 18 in. dia. bears N 76 W 19 M., dish
 & a Do. 12 " " " S 49 W 9 " "
 Land is rolling & the soil good & the
 timber is same as before. Sec. 13th 1829,

East On Rand om between sections 17 & 20
 15.00 Entered survey
 40.00 Set temp. gr. sec. cor. post,
 60.00 Entered a wet prairie
 72.00 To a stream 6 M. wide cr. S. E.,
 79.97 To the E. boundary, 33 M. S. of post,

West Blazed back between sec. 17 & 20
 39.98 Set the gr. sec. cor. post from which
 a W. Oak 15 in. dia. bears N 37 E 93 M.,
 & a Red Oak 15 " " " S 73 E 120 "

322

T. 37 N. R. 2 W. 2nd Mer. Ind^a.

6. L.
79.97 To the Section corner, Land rolling
1st rate & the timber is Sugar Bush
Lynx Hickory &c

West Between sections 18 & 19
15.65 To a Lynx 18 in. dia. in the line,
25.00 Enter barren land
40.00 Set the gr. sec. cor. post from which
a Br. Oak 15 in. dia. bears S 87 E 103th
& a W. Oak 20 " " " S 34 W 100.
54.00 Leave the barrens
64.50 To a Sugar 12 in. dia. in the line
80.23 To the W. boundy. 30th N. of post,
& where set post cor. to sec. 18 & 19 from which
a Bush 15 in. dia. bears S 53 E 47th N. of post
& a Do. 15 " " " N 23 E 41 " "
Land rolling soil good & the timber is
Sugar, Bush, Hickory. &c

South Between sections 19 & 20,
5.00 Enter a dry prairie
60.00 Set a gr. sec. cor. post where raised mound
80.00 Set a post cor. to sec. 19. 20. 29 & 30 &
where raised a mound
Land is rolling 1st rate prairie,

East On Random between sections 20 & 29
26.00 Enter barrens
40.00 Set tempy. gr. sec. cor. post,
79.85 To the E. end of sec. cor 23th N. of post,

West Blazed buck. between sec. 20 & 29
39.92 Set the gr. sec. cor. post from which
a Br. Oak 20 in. dia. bears N 61 W 41th N. of post

T. 37 N. R. 2 W. 2ⁿ? Mer. Ind. a

C. L.
 Va Br. Oak 28 in. dia. bears S 35° W 45th dist.,
 79.85 To the section's corner,
 Land first rate banner prairie

West Between sections 19 & 30,
 40.00 Set a gr. sec, cor. post where raised a mound
 80.14 To the W. boundary at this mound,
 Land nothing 1st rate dry prairie

South Between sections 29 & 30,
 39.09 To Chicago trail cor. S. W.,
 40.00 Set the gr. sec, cor. & raised a mound
 64.00 Enter banner,
 69.50 To a Lake & set a post from which a
 a Br. Oak 9 in. dia. bears N 44° E 53th dist.,
 & a Do. 9 " " " S 20° W 64 " "
 80.00 Set a post cor. to sec. 29, 30, 31 & 32 in Lake
 Land &c. is same as on last mile,

East On Randony between sec. 29 & 32
 9.55 Leave the Lake & Enter prairie
 32.54 To a Lake, & set post & raised a mound
 38.50 Leave the Lake & set post & raise, do,
 40.00 set tempy, gr. sec, cor. post,
 80.09 To the E. line of sec. at post,

West Blazed back between sec. 29 & 32
 40.04 Set the gr. sec, cor. post, in prairie
 where raise a mound
 80.09 To the section's corner,

West Between sections 30 & 31,
 40.00 Dr. sec, cor. in Lake,
 44.59 Leave Lake & set post & raised mound,

T. 37 N. R. 2 W. 3rd Sec, Ind.

6 L,
80.05 To the W. boundary, 10 M. N. of post,
Set post cor. to Secs, 30 & 31.
Land &c, is same as on last mile

South Between sections 31 & 32,
20.85 Leave the Lake & set a post from which
a Hickory 9 in. dia. bears S 50° W 15 M. dia,
& a Do. 18 " " " N 7° W 18 " "
24.10 To an Indian boundary & set post cor,
to Secs, 31 & 32 from which
a Hickory 18 in. dia. bears S 80° W 24 M. dia,
& a Do. 12 " " " N 38° E 75 " "
Dec, 14th. 1829 finished this township,

Meanders of the South end of a
Lake, on N. boundary, of T. 37 N.

Begin at W. post on Town line, sec 1,

Course 6 L. Remarks,

South 2.00 In sec 1

S 62° E 6.05

S 71° W 6.50

S 61½° W 6.40

N 4° E 15.50

S 52½° E 22.50

N 21° E 12.50

N 20° E 5.50

N 37° E 2.50

S 60° E 9.00

S 5° E 6.00

East 4.00

N 38° E 15.40

N 36° W 14.40

West 10.00

S 59° W 4.00

C. L. Meanders Continued.
 Course, C. L. Meanders from
 N 54° W 2.70 To the fork on E. side in town
 boundary,

Meanders of a Lake in
 Sec. 23. Begin at $\frac{1}{2}$ mile fork,
 in line between Secs. 14 & 23,
 To the margin of lake

S 30° E 9.00
 S 53° W 4.00
 S 30° W 9.50
 S 39° W 5.00
 S 4° E 7.50
 S 59° E 4.00
 N 30° E 7.50
 N 65° E 13.00
 N 50° W 6.00
 N 17° E 6.00
 N 39° E 4.00
 N 6° E 5.00
 N 34° W 4.00
 N 82° W 2.50
 S 34° W 4.00
 S 17° W 5.50

To the place of beginning,

Meanders of a Lake in Secs.
 29, 30, 31 & 32. Begin at fork
 in line between Secs. 29 & 30,
 In Sec. 30,

S 54° W 6.00
 S 64° W 8.50
 N 85° W 3.50
 N 35° E 8.00
 N 32° W 4.00
 S 65° W 10.50

326

T. 37 N. R. 2 W. 2nd Mer. Ind^a,

Course to L. Meanders continued,

N 85 W 4.50

N 59 W 9.00

N 89 W 2.00

N 33 W 10.50

N 83 W 6.00

N 18 E 20.00

N 22 E 3.30

To post between sections 30 & 31

N 58 W 5.00

In sec. 31.

South 2.00

N 83 E 10.50

N 22 E 10.50

N 73 E 4.00

N 26 E 7.40

To an Indian boundary, & set post from which a W Oak 18 in, diam. br. West 1.81 hrs. disk,

Now begin on the E. side of the lake or Indian boundary, & set post on W. Oak 18 in. 38 E 53 M,

N 40 E 2.50

N 85 E 8.48

To meander post between sec. 31 & 32,

N 68 E 4.50

N 73 E 6.00

N 16 E 5.50

N 12 W 8.50

N 48 E 5.50

N 56 W 4.75

To post between sec. 29 & 32

N 60 W 9.00

In sec. 29

N 19 W 6.19

To place of beginning,

T. 37 N. R. 2 W. 2nd New Ind^y

Comm. Co. L. Meanders of a Lake in Sec. 29 & 32, Begin at Co. post.

N 56 5.00

N 73 E 5.00

N 3 E 8.00

N 25 E 7.50

N 4 E 7.00

N 37 E 9.00

N 21 W 5.50

N 68 W 22.00

S 60 W 10.00

S 13 E 17.50

S 30 E 8.00

S 15 E 20.00

S 35 W 1.40 To post in line,

S 35 W 8.50

S 8 E 8.00

S 11 W 10.00 To the Indian boundary,
where raise a mound,Now commence on E. side of
the lake at Indian boundary,
& set post & raise a mound

N 7 E 20.00

N 22 W 5.00 To the place of beginning,

Pursuant to a contract dated Sept. 16th 1829, & instructions from William Lytle, Sur. General of the United States, I have surveyed & subdivided into sections, the foregoing Township in Indiana (fractional) described in said contract. & I certify, that the foregoing are, correct & true field-notes of the lines &

T. 37 N. R. 2 W. 2nd. Mon. Ind.

C. L. which they purport to be as part of said contract. Certified this 4th of February 1830. Thomas Henderson Dep. Secy,

Subdivision of the
Fraction of Indian boundary.
West On the S. boundy. of ten mile strip
on N. side of frac. sec. 36,
83.00 To the sections corner, Land is gently
rolling & sec. rate. Scattering B. Oak timber,
on E. end. W. & timber with W. & B. Oak &
 Hickory, Lym. ash, Ironwood &c. thick & heavy
& the mud, etc. is Spice. Hazel & Red root,

South Between sections 35 & 36, Bearings -
an Ironwood 6 in. dia. bears N 45 W 21 lbs. dia.,
& an Ash 15 " " " N 61 1/2 E 34 " "
3.164 To a W. Ash 8 " " in the line,
21.30 " " W. Oak 20 " " " " "
26.00 Leave timber & enter marsh NW & SE,
50.80 To the South town boundy, 2.50 lbs. W. of post,
& set post cor. of sec. 35 & 36,
a W. Oak 18 in. dia. bears N 64 E 780 lbs. dia.,
& no other tree near
Land on N. post rolling & sec. rate &
heavy timber W. & B. Oak Hickory ash Lym.
Ironwood &c. & part is marsh & 2nd rate

North Between sections 35 & 36,
40.00 set the gr. sec. cor. post from which
a B. Oak 8 in. dia. bears N 67 E 59 lbs. dia.,
& a W. Oak 15 " " " N 64 W 118 " "
50.80 To the sections corner,

T. 37 N. R. 2 W. 2nd Mer. Ind.^a

On S. West	On S. side of 10 mile purchase N. side of =
37.50	Leave timber & Ent. mark N.W. (= sec. 35,
48.60	Leave mark & Ent. timber,
78.00	Entered a mark cr. S.E. & N.W.,
82.39	To the section corner, Land gently rolling & sec. rate & the timber is mostly Oak & L. little mid. etc,
South	Between sections 34 & 35. Bearings - a B. Oak 15 in. dia. bears S 2 1/2 W 586 lks. dist., & no other tree near
39.00	To mill pond on little Kankakee
41.00	Over pond by trigonometry,
57.60	To the S. boundy, of town 538 lks. W. of post, & set a post in a mark & water no mound Land is marsh, mostly water over it, 3 rates
North	Between sections 34 & 35,
60.00	Set the gr. recs. cor. post from which a G. Oak 20 in. dia. bears N 85 1/2 E 280 lks., & a W. Oak 15 " " " N 65 E 307 "
57.60	To the section corner,
West	On Indian boundy. N. side of sec. 34
18.50	To a stream 30 lks. wide cr. S.E., brk pure water. believed to be little Kankakee
45.50	Leave mark & Enter timber
77.50	To the Co. boundy, of Michichigan Road lands. 340 lks. S. of post & mound corner to sections 33 & 34. old survey, set post, no mounds no bearings near, Land E. high marsh, W. part B. Oak bearing rolling & sec. rate, &

330

T. 37 N. R. 2 W. 2^d Mer. Ind^a

C. L.

S. 30th W On W. side of sec. 34. E. boundy of the
Mich. Road landy, cor. to sections 34 no mound
57.65 To the town line at post and mound
Land prairie sec. rated &

N. 30th E On the W. side of sec. 34

40.17 Set the gr. secy. cor. post. & Raise a mound
57.65 To the sections corner,

note. The cor. of sec. 33 & 34 is found.
a plain post & mound 3.40 M. N. of the
old boundary line & the E. boundy of
Mich. Road landy has been extended across
the old boundary & corner post & mound
75 M. West of the old sections cor. of sec. 33 & 34

I hereby certify that in pursuance of a
contract with Micajah L. Williams, Surveyor
General of the United States, for the states
of Ohio, Indiana & the territory of Michigan
dated the 21st day of April 1834 & in strict
conformity to the laws of the United States
& the instructions of said Surveyor Genl,
I have surveyed & subdivided into sec.
(fractional secy.) Twp. 37 N. Range
2 West in Indiana. South of Indiana boundy
& I do further certify that the foregoing
are the true & original field-notes of
said survey & subdivision, Executed as
aforesaid. & Certified the 19th of December
1834, William Clark. Dep. Surveyor,
Hugh McDonald & J.
John James — 3 Chairmen,
John Wood. Markers,

T. 37 N. R. 2 W. 2nd Mer. Ind.^a

I certify that the foregoing transcript
of field notes of Township 37 North Range
2 West 2nd Mer. Indiana, (in two parts fractionally)
has been compared with the original in
this office & found to be correct.

E. D. Haines
Sur. Gen.

Surveyor General's office,
Cincinnati. March 31st 1842,